

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
2 October 2003 (02.10.2003)

PCT

(10) International Publication Number
WO 03/081415 A1

(51) International Patent Classification⁷: **G06F 3/033**

(21) International Application Number: **PCT/SE03/00484**

(22) International Filing Date: **24 March 2003 (24.03.2003)**

(25) Filing Language: **English**

(26) Publication Language: **English**

(30) Priority Data:
0200951-2 **27 March 2002 (27.03.2002)** **SE**

(71) Applicant (for all designated States except US): **TOUCH & TURN AB** [SE/SE]; Inedalsgatan 21, S-112 33 Stockholm (SE).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **LAGERCRANTZ, Wilhelm** [SE/SE]; Ystadsvägen 118, S-121 51 Johanneshov (SE).

(74) Agent: **ALBIHNS STOCKHOLM AB**; P.O. Box 5581, Linnégatan 2, S-114 85 Stockholm (SE).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.


(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: APPARATUS AND METHOD FOR TURNING OF PAGES IN A DIGITISED VIRTUAL DOCUMENT



(57) Abstract: The present invention relates to an apparatus and a method for displaying a digitised document to an audience. A memory (20) is provided for storing of at least one dig-itised document in a computer readable file format, wherein a processing means (10) is adapted to retrieve documents and process it into a near-identical document rep-lica. Moreover, a display (30) visualises document and animation of the document, such as the turning of a layer, being controlled by the audience. The function of the apparatus is characterised by the audience indicating when real-time animation of a layer (51, 52) is about to begin or revert to its initial state, and the indication is gov-erned by crossing a dividing line with an indicating element substantially in lateral direction.

Apparatus and method for turning of pages in a digitised virtual document

Technical field of the invention

5 The present invention relates making valuable or rare documents accessible to the public in an attractive way. More in detail, the invention relates to an apparatus and a method for realistic turning of pages in a digitised document.

Background of the invention

10 During the last 20 years, and in particular during the last decade, the development of information technology has created new and exciting possibilities. The information obtainable from the Internet has increased immensely. Users of computers and com-
15 puter controlled equipment have become used to the ability of retrieving all kinds of information at high rates and for the younger generation in particular, the Internet now represents the first choice when searching for information. The impact that the Internet will have on everyone's daily life cannot be overestimated, especially in a little longer perspective than a few years.

20 However, in order to have desired impact, information which is obtainable and accessible must also be introduced to its audience in an attractive manner. This is the case not the least in the fields of literature, history and cultural history. One way of displaying information in a special and attractive format is disclosed in the US-
25 patent No. 5,463,725. The patent document discloses an interface providing a display where a document is made accessible to a reader in a similar manner to that of a printed book or magazine. The user is able to touch the display, thereby causing an animated turn of a page of the displayed material.

Even though both transmission and access technologies have improved significantly and many personal computer users of today access the Internet at rates up to over 2 Mbits/second bi-directionally, unreliable data transfer and network congestion is still a problem associated with transmission of large data amounts. Not all users, especially not in countries less developed than countries in the industrialised world, have access to modern computer equipment of sufficient performance for carrying out demanding tasks, such as displaying and processing facsimile documents and photography in good quality.

10 Displaying printed media on a typical display monitor usually does not do justice of a literature masterpiece or a painting. The resolution is often limited to the extent allowed by a particular technology in use, whether the bottle neck is poor screen resolution or transmission capacity. The effect of depth in a painting or the number of pages left to the end of a story is also lacking when digitally visualising printed
15 media two-dimensionally on a screen.

When data transmission is either completely lacking or at least unreliable, another low-tech transmission technology which is always possible is to send for instance a CD-ROM per mail to the recipient containing all required information. However,
20 that requires the data to be in a format allowed by a CD-ROM or to be compressible in order to be allowable by the limited format of the memory.

Summary of the invention

25 It is therefore an object of the present invention to introduce an apparatus and method for displaying a digitised document to an audience, the apparatus comprising,

persistent memory, for storage of at least one digitised document in a computer readable file format,

30 processing means, adapted to retrieve the digitised document from the

persistent memory, and process the computer readable file format into a near-identical document replica,

display for visualising the digitised document having interface which represents a view of the digitised document, where animation of the document, such as the turning of a layer, being controlled by the audience,

an active field of the display is laterally enclosed by at least one dividing line, characterised in that

the animation of a layer to be turned is adapted to either begin or revert to its initial state in real-time upon indications by the audience, the indications governed by substantially in lateral direction crossing of the dividing line with an indicating element.

An advantage of the present invention is that irregularities in edges of a digitised book or other document are maintained during the visualisation. This greatly enhances the realistic impression of the document, as experienced by the audience. The realistic impression enables a much simpler animation than animation technologies of prior art, still without losing the realistic impression of the document. This rough presentation of the edges in combination with the real-time controlled animation pages that are turned, an animation controllable in both directions and imitating the force of gravity, makes it possible to avoid deliberate deterioration of the image resolution while animating the turning of a page. This deterioration of the digitised facsimile image is otherwise unavoidable, or at least calls for modern and high performing computer equipment, equipment which is costly. One of the prerequisites when displaying images to an audience is a high resolution, which inevitably leads to large documents with respect to digital memory capacity.

Further advantages and benefits of the present invention will be evident from the dependent claims.

Brief description of the drawings

The above and further features, advantages and benefits of the present invention will be apparent upon consideration of the following detailed description, taken in conjunction with the accompanying drawings, in which like reference characters and figures refer to like parts throughout, and in which:

Fig 1 illustrates a schematic view of the apparatus for displaying digitised documents, according to the present invention.

Fig 2 discloses the outline of the document visualisation and features used for turning pages on audience command, according to the present invention.

Fig 3 is a flow chart outlining of sequential principles when turning pages in a digitised document on audience command according to the present invention.

Detailed description of embodiments

The following description is of the best mode presently contemplated for practising the invention. The description is not to be taken in a limiting sense, but is made merely for the purpose of describing the general principles of the invention. The scope of the invention should be ascertained with reference to the issued claims.

Referring to Fig 1, a schematic view of the apparatus for displaying digitised documents is shown. Digitised documents such as photographs or scanned high resolution pictures are stored in a persistent memory 20. Conceivable is of course a memory such as a hard disk or CD-ROM, but any other kind of suitable digital storage means can be utilised. A processing means 10 is connected to the memory for retrieval of document data and subsequent processing of the data into a picture format to be displayed. The display 30 is a screen, preferably a so-called touch screen

which can be controlled on user command by pressing a finger onto different predefined areas on the screen, thereby influencing the operation of the software product displayed on the screen.

5 As previously mentioned, documents to be visualised may be retrieved from a persistent memory. However, various databases 40, 42 connected to the Internet may also be accessed from the processing means, via its Internet connection. This simplifies the distribution of documents to be visualised since one digitised document is stored centrally, but visualised at different clients. Charging schemes may also be applied, the schemes coupled to entities wanting to visualise a certain document to
10 an interested audience. This may be the case for an art exhibition, or a travelling literature seminar as two feasible examples among many more.

With reference to Fig 2, the general outline of the document visualisation interface
15 32 is disclosed with its related features used for enabling a turning of pages on audience command. The interface includes at least two layers, among them a first background layer 51 and a second foreground layer 52. The foreground layer covers the background layer as to simulate a real page turning, in a book or a magazine for instance. The page to be turned comprises a corner co-ordinate in each outer corner of
20 the page, more specifically one upper corner co-ordinate 55 and a lower corner co-ordinate 54. When turning a page, those corner co-ordinates are separated from one another a distance which exceeds the distance between the co-ordinates when a page turning is not yet activated. This separation bear a close resemblance to the page turning of a real book or magazine, since it is adapted to create a sense of depth to
25 the two-dimensional screen layout of the digitised document which is visualised.

For deciding whether to turn a page on user command, the user has to cross a predetermined dividing line 56 with the indicating finger movement. In an alternative embodiment of the present invention, a cursor control device is used for the same
30 purpose, i.e. for indicating whether to turn a page, or to interrupt an initialised page

turn and let the page fall back to its original position before the turning of the page was initialised.

Fig 3 is a flow chart outlining of sequential routine applied when turning pages in a digitised document on finger tip command by the audience in accordance with the present invention. The method of turning pages starts (S10) with determining the number of pages in a stacked pile of documents, such for instance a scanned or photographed book or magazine to be visualised. For performance reasons, only four pages can be displayed at a time, whereby the application can be run without congestion problems or lack of memory capacity also on relatively simple computer equipment available at comparably moderate prices. Next, several basic conditions are determined (S20), on which the visualisation is based. For example, the dimensions of the pages to be shown are calculated and a limiting dividing line 56 is established. The dividing line is used for deciding whether a page is to be turned or not in direct response to finger tip commands of a user. The perspective is chosen by the user among a set of predefined perspectives, each of them suitable for different reasons and depending on the nature of the digitised document to be visualised. The perspective depends for example on the page width of a particular book, i.e. large pages yield quite another appearance than small pages. Also the roughness of pages greatly effects the visualisation, which can be tuned and thereby managed by the user's choice of perspective.

An active field is displayed, and the user influences (S30) this active field either by moving his or her finger tips when a touch screen is used, or by moving a cursor by a cursor control device. The movement of finger tips or a corresponding cursor symbol is monitored (S40) by the apparatus by calculating its position in relation to the position of the dividing line 56. As long as the user of the turning page application does not actively cross (S50) the dividing line 56, the active filed is continuously visualised (S20). When the dividing line is crossed (S50), i.e. user command is given, the application interprets this as an attempt to virtually turn a page and in

response a page turning procedure is initialised (S60). The procedure of turning a page can be interrupted by moving the finger back into the active field and as in response to this, no corresponding action is started. As a result of the turned page, the following page is highlighted (S70), i.e. switches from an inactivated to an activated operational mode by a virtual background illumination. This procedure continues until the last page in a stacked pile of digitised documents to be visualised is reached (S80). Reaching the last page results in an inactivation (S90) of the page visualisation and the background being displayed. This may be when a visualised book or other document is closed and therefore no next page is to be displayed, or the next page is actively vanished. Subsequently, the procedure continues in that the user has a choice among new documents to be visualised from an index of documents, the index continuously accessible for the user via the user interface, or to terminate the visualisation. According to an alternative embodiment, the user can be queried (S100) whether to go back or chose another document for visualisation. In case this is desired by the user, the sequence continues by monitoring (S30) the user activity again, otherwise the sequence ends (S110). According to the invention, there is an additional feature to display for instance every tenth page in a stacked pile of documents instead of displaying every single page. This is particularly useful when a whole document intentionally is to be covered in short time or in less detailed manner than if every single page is to be visualised. However, the interval between pages to be displayed does not have to be ten as proposed, but may be any other predetermined number or a number chosen on user command.

In accordance with the present invention, software is developed in parallel with the apparatus for visualising digitised documents. The software resides in a memory located of the hardware associated with said apparatus. The software is designed for instructing the hardware of visualisation means to carry out the sequential method steps described with reference to Fig 3.

Claims

1. Apparatus for displaying a digitised document to an audience, the apparatus comprising,

5 persistent memory (20), for storage of at least one digitised document in a computer readable file format,

 processing means (10), adapted to retrieve the digitised document from the persistent memory, and process the computer readable file format into a near-identical document replica,

10 display (30) for visualising the digitised document having interface (32) which represents a view of the digitised document, where animation of the document, such as the turning of a layer, being controlled by the audience,

 an active field of the display is laterally enclosed by at least one dividing line (56),

15 **characterised in that**

 the animation of a layer (51, 52) to be turned is adapted to either begin or revert to its initial state in real-time upon indications by the audience, the indications governed by substantially in lateral direction crossing of the dividing line with an indicating element.

- 20 2. Apparatus for displaying a digitised document according to claim 1, **characterised in that**

 layers in a digitised document being visualised to the audience on the display are provided with edges being irregularly cut.

- 25 3. Apparatus for displaying a digitised document according to claim 1 or 2, **characterised in that**

 layers in a digitised document are superimposed while still displaying edges so as to convey information to the audience on how far the visualised

document is from the beginning and end of a stack of layers.

4. Apparatus for displaying a digitised document according to claim 1, **characterised in that**

5 digitised documents are retrieved from at least one database (40, 41) accessible from the processing means via the Internet or any other global inter-connecting network.

- 10 5. Apparatus for displaying a digitised document according to claim 1-4, **characterised in that**

digitised documents for visualisation are printed media, such as high resolution photographs of pages in a book.

- 15 6. Apparatus for displaying a digitised document according claims 1-5, **characterised in that**

the display is a touch screen, sensitive to signals governed by the audience by touching and dragging a finger tip on the visualised layer so as to indicate when a layer is to be turned.

- 20 7. Apparatus for displaying a digitised document according to claim 1-6, **characterised in that**

the indicating element is either a finger moved on a touch screen or a cursor moved by a cursor control device.

- 25 8. Apparatus for displaying a digitised document according to any of preceding claims, **characterised in that**

the audience is able to adapt the default appearance of the visualisation, in order to choose among a predefined set of suitable perspectives for the visualisation of the digitised document.

9. Apparatus for displaying a digitised document according to any of preceding claims, **characterised in that**

the persistent memory being any kind of storage location connected to the processor, such as CD-ROM, any kind of memory disk, flash memory, etc.

10. Apparatus for displaying a digitised document according to any of preceding claims, **characterised in that**

the interface is provided with links to translations of the digitised document, the translations being into languages desired by the user and being accessible on user command.

11. Apparatus for displaying a digitised document according to any of preceding claims, **characterised in that**

layers in a digitised document are displayed with delimiting intervals, the delimiting intervals being set in advance or on user command.

12. Method for displaying a digitised document to an audience by utilising a memory (20) for storing of at least one digitised document in a computer readable file format, wherein a processing means (10) is adapted to retrieve documents and process it into a near-identical document replica, a display (30) visualises document and animation of the document, such as the turning of a layer, being controlled by the audience, the method **characterised by the steps of:**

indicating by the audience when real-time animation of a layer (51, 52) is about to begin or revert to its initial state, the indication governed by crossing a dividing line with an indicating element substantially in lateral direction.

13. Method for displaying a digitised document according to claim 12, further **characterised by the step of:**



visualising on the display layers which have irregularly cut edges.

14. Method for displaying a digitised document according to claim 13, further **characterised** by the step of:

5 visualising superimposed layers forming a stack of layers, while still displaying their edges, thereby conveying information to the audience on how far the visualisation is from the beginning and end of the stack.

10 15. Computer program product for displaying a digitised document to an audience, fully integrated in an apparatus according to claims 1-11, the computer program product adapted for carrying out the method steps of claims 12-14.

1 / 2



2 / 2




FIG.3

INTERNATIONAL SEARCH REPORT

International application No.

PCT/SE 03/00484

A. CLASSIFICATION OF SUBJECT MATTER

IPC7: G06F 3/033

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC7: G06F, G09G, H04N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

EPO-INTERNAL, WPI DATA

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	DATABASE WPI Week 199926 Derwent Publications Ltd., London, GB; Class G06F3/14, AN 1999-313048 & WO 9922314 A1 (SHARP KK), 25 September 1998 (1998-09-25) abstract --	1-15
X	US 5900876 A (YAGITA, T. ET AL), 4 May 1999 (04.05.99), the whole document --	1-15
A	WO 0219151 A1 (THE GADGET FACTORY), 7 March 2002 (07.03.02) --	1-15

☒ Further documents are listed in the continuation of Box C.☒ See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

4 June 2003

Date of mailing of the international search report

11-06-2003

Name and mailing address of the ISA/
Swedish Patent Office
Box 5055, S-102 42 STOCKHOLM
Facsimile No. +46 8 666 02 86

Authorized officer

Henrik Andersson /(LR
Telephone No. +46 8 782 25 00

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5764227 A (ISHIMINE, H.), 9 June 1998 (09.06.98) --	1-15
A	EP 0764898 A2 (KK TOSHIBA), 26 March 1997 (26.03.97) --	1-15
A	US 5870092 A (BEDFORD-ROBERTS, J.), 9 February 1999 (09.02.99) -- -----	1-15

INTERNATIONAL SEARCH REPORT
Information on patent family members

29/04/03

International Application No.

PCT/SE 03/00484

Patent document cited in search report			Publication date	Patent family member(s)		Publication date
US	5900876	A	04/05/99	JP	8286882 A	01/11/96
				JP	9091116 A	04/04/97

WO	0219151	A1	07/03/02	AU	3900801 A	13/03/02

US	5764227	A	09/06/98	JP	8292962 A	05/11/96

EP	0764898	A2	26/03/97	AU	6567496 A	27/03/97
				CN	1152748 A	25/06/97
				DE	69609130 D,T	22/03/01
				JP	9081360 A	28/03/97
				US	5937419 A	10/08/99

US	5870092	A	09/02/99	DE	69414417 D,T	01/04/99
				EP	0772834 A,B	14/05/97
				GB	9401629 D	00/00/00
				WO	9603698 A	08/02/96
